

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking:**

**1.1 Product identifier:**

**Trade name:** GLUKON top wmc 5 Liter Kanister (drucklos)

**UFI:** VTPE-2JQR-7P6X-G16Y

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

No further relevant information available.

**Application of the substance / the preparation:** Industrial adhesive

**1.3 Details of the supplier of the safety data sheet:**

**Manufacturer/Supplier:**

BÖKER Sprühklebersysteme GmbH

Wegkamp 1

24589 Dätgen

Fon +49 (0) 4329-91128-0

Fax +49 (0) 4329-91128-29

E-Mail: info@glukon.de

www.glukon.de

**Further information obtainable from:** BÖKER Sprühklebersysteme GmbH

**1.4 Emergency telephone number:**

Giftinformationszentrum-Nord / GIZ-Nord Poisons Centre

Telefon / Phone +49 (0) 551/19240

24h / 7d

**SECTION 2: Hazards identification:**

**2.1 Classification of the substance or mixture:**

**Classification according to Regulation (EC) No 1272/2008:**



GHS02 flame

Flam. Liq. 2      H225 Highly flammable liquid and vapour.



GHS08 health hazard

Repr. 2      H361d Suspected of damaging the unborn child.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Eye Irrit. 2      H319 Causes serious eye irritation.

STOT SE 3      H336 May cause drowsiness or dizziness.

**2.2 Label elements:**

**Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

**Trade name: GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 1)

### Hazard pictograms:



**Signal word:** Danger

### Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane  
toluene  
acetone

### Hazard statements:

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H361d Suspected of damaging the unborn child.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.  
Restricted to professional users.  
Buildup of explosive mixtures possible without sufficient ventilation.

### 2.3 Other hazards:

#### Results of PBT and vPvB assessment:





**PBT:** Not applicable.  
**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients:

### 3.2 Mixtures:

**Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

EC number: 926-605-8	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	30-60%
		
CAS: 67-64-1	acetone	10-30%
EINECS: 200-662-2		
Reg.nr.: 01-2119471330-49	EUH066 Specific concentration limit: STOT SE 3; H336: C ≥ 10 %	
CAS: 79-20-9	methyl acetate	5-10%
EINECS: 201-185-2		
Reg.nr.: 01-2119471310-51	EUH066	
CAS: 108-88-3	toluene	1-5%
EINECS: 203-625-9		

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

Trade name: **GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 2)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures:

#### 4.1 Description of first aid measures:

##### General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

##### After eye contact:

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

##### After swallowing:

Rinse out mouth and then drink plenty of water.

Call for a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Monitor circulation, possible shock treatment.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

### SECTION 5: Firefighting measures:

#### 5.1 Extinguishing media:

##### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

Can form explosive gas-air mixtures.

#### 5.3 Advice for firefighters:

##### Protective equipment:

Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures:

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

#### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage:

#### 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

**Trade name: GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 3)

Open and handle receptacle with care.  
Keep away from heat and direct sunlight.  
Use only in well ventilated areas.  
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Fumes can combine with air to form an explosive mixture.

**7.2 Conditions for safe storage, including any incompatibilities:****Storage:****Requirements to be met by storerooms and receptacles:**

Store in a cool location.  
Store only in the original receptacle.

**Information about storage in one common storage facility:**

Store away from oxidising agents.  
Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

**Storage class: 3****7.3 Specific end use(s):** No further relevant information available.**SECTION 8: Exposure controls/personal protection:****8.1 Control parameters:****Ingredients with limit values that require monitoring at the workplace:****67-64-1 acetone**

OEL Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm  
IOELV

**79-20-9 methyl acetate**

OEL Short-term value: 760 mg/m<sup>3</sup>, 250 ppm  
Long-term value: 610 mg/m<sup>3</sup>, 200 ppm

**108-88-3 toluene**

OEL Short-term value: 384 mg/m<sup>3</sup>, 100 ppm  
Long-term value: 192 mg/m<sup>3</sup>, 50 ppm  
Sk, IOELV

**8.2 Exposure controls:****Appropriate engineering controls:** No further data; see section 7.**Individual protection measures, such as personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Immediately remove all soiled and contaminated clothing.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Do not eat or drink while working.

**Respiratory protection:**

If the occupational exposure limit value (e.g. through adequate ventilation at the workplace or through the work place or a stationary extraction device at the workpiece), respiratory protection is not required.

The product contains low-boiling substances. In exceptional situations (e.g. unintentional release of substances release of the substance, exceeding the occupational exposure limit), respiratory protection must be worn. Here is generally for a short time (observe filter size and breakthrough time) full-face mask with an AX filter insert (e.g. filter no. 6098 from 3M, use only factory-fresh!). For concentrations above the

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

**Trade name: GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 4)

application limit of filter devices, with oxygen contents below 17 vol% or in unclear conditions conditions, use an insulating device (DIN EN 137, observe wearing time limit).

**Hand protection:** Protective gloves**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**As protection from splashes gloves made of the following materials are suitable:**

Fluorocarbon rubber (Viton)

**Not suitable are gloves made of the following materials:**

Leather gloves

Strong material gloves

Natural rubber, NR

Chloroprene rubber, CR

Nitrile rubber, NBR

Butyl rubber, BR

PVC gloves

**Eye/face protection:** Tightly sealed goggles**SECTION 9: Physical and chemical properties:****9.1 Information on basic physical and chemical properties:****General Information:****Physical state:** Fluid**Colour:** Amber coloured**Odour:** Characteristic**Odour threshold:** Not determined.**Melting point/freezing point:** Undetermined.**Boiling point or initial boiling point and boiling range:**

&gt;35 °C (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt; 5% n-hexane)

**Flammability:** Not determined.**Lower and upper explosion limit:****Lower:** 2.6 Vol % (67-64-1 acetone)**Upper:** 16 Vol % (79-20-9 methyl acetate)**Flash point:** -17 °C**Decomposition temperature:** Not determined.**pH:** Not applicable.**Viscosity:****Kinematic viscosity at 20 °C:** 400-700 mm<sup>2</sup>/s**Dynamic:** Not determined.**Solubility:****water:** Not miscible or difficult to mix.**Partition coefficient n-octanol/water (log value):** Not determined.**Vapour pressure at 20 °C:** 233 hPa (67-64-1 acetone)**Vapour pressure at 50 °C:** 800 hPa**Density and/or relative density:****Density at 20 °C:** 0.84 g/cm<sup>3</sup>**Relative density:** Not determined.**Vapour density:** Not determined.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

Trade name: **GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 5)

**9.2 Other information:**

**Appearance:**

**Form:** Fluid

**Important information on protection of health and environment, and on safety.:**

**Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

**Solvent content:**

**VOC (EC):** 555 g/l

**Change in condition:**

**Evaporation rate:** Not applicable.

**Information with regard to physical hazard**

**classes:**

**Explosives:** Void

**Flammable gases:** Void

**Aerosols:** Void

**Oxidising gases:** Void

**Gases under pressure:** Void

**Flammable liquids:** Highly flammable liquid and vapour.

**Flammable solids:** Void

**Self-reactive substances and mixtures:** Void

**Pyrophoric liquids:** Void

**Pyrophoric solids:** Void

**Self-heating substances and mixtures:** Void

**Substances and mixtures, which emit flammable**

**gases in contact with water:** Void

**Oxidising liquids:** Void

**Oxidising solids:** Void

**Organic peroxides:** Void

**Corrosive to metals:** Void

**Desensitised explosives:** Void

**SECTION 10: Stability and reactivity:**

**10.1 Reactivity:** No further relevant information available.

**10.2 Chemical stability:**

**Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** Forms explosive gas mixture with air.

**10.4 Conditions to avoid:** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**SECTION 11: Toxicological information:**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

**Acute toxicity:** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**67-64-1 acetone**

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

(Contd. on page 7)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

---

**Trade name: GLUKON top wmc 5 Liter Kanister (drucklos)**

---

(Contd. of page 6)

**79-20-9 methyl acetate**

Oral LD50 3,705 mg/kg (rabbit)

**108-88-3 toluene**

Oral LD50 5,000 mg/kg (rat)

Dermal LD50 12,124 mg/kg (rabbit)

Inhalative LC50/4 h 5,320 mg/l (mouse)

**Skin corrosion/irritation:** Based on available data, the classification criteria are not met.**Serious eye damage/irritation:**

Causes serious eye irritation.

**Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.**Carcinogenicity:** Based on available data, the classification criteria are not met.**Reproductive toxicity:**

Suspected of damaging the unborn child.

**STOT-single exposure:**

May cause drowsiness or dizziness.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.**Aspiration hazard:** Based on available data, the classification criteria are not met.**11.2 Information on other hazards:****Endocrine disrupting properties:**None of the ingredients is listed.

---

**SECTION 12: Ecological information:****12.1 Toxicity:****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**12.5 Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties:**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects:****Additional ecological information:****General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

---

**SECTION 13: Disposal considerations:****13.1 Waste treatment methods:****Recommendation:**

Product: Dispose of in accordance with local regulations.

According to the European Waste Catalogue (EWC), waste code numbers are not product-related but application-related.

Waste code numbers should be assigned by the consumer, if possible in consultation with the waste disposal authorities.

Contaminated packaging: Take empty containers to a recognised waste disposal facility for recovery or disposal. Return empty pressurised containers to the supplier.

Unless otherwise specified: Dispose of as unused product.

(Contd. on page 8)

---

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

**Trade name: GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 7)

**European waste catalogue:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information:****14.1 UN number or ID number:**

ADR, IMDG, IATA

UN1133

**14.2 UN proper shipping name:**

ADR

1133 ADHESIVES, ENVIRONMENTALLY  
HAZARDOUS

IMDG

ADHESIVES, MARINE POLLUTANT

IATA

ADHESIVES

**14.3 Transport hazard class(es):**

ADR, IMDG

**Class:**

3 Flammable liquids.

**Label:**

3

**IATA****Class:**

3 Flammable liquids.

**Label:**

3

**14.4 Packing group:**

ADR, IMDG, IATA

II

**14.5 Environmental hazards:**Product contains environmentally hazardous  
substances: Hydrocarbons, C6-C7, n-alkanes,  
isoalkanes, cyclics, < 5% n-hexane**Marine pollutant:**

Symbol (fish and tree)

**Special marking (ADR):**

Symbol (fish and tree)

**14.6 Special precautions for user:**

Warning: Flammable liquids.

**Hazard identification number (Kemler code):**

33

**EMS Number:**

F-E,S-D

**Stowage Category:**

B

**14.7 Maritime transport in bulk according to IMO  
instruments:**

Not applicable.

**Transport/Additional information:****ADR****Limited quantities (LQ):**

5L

**Transport category:**

2

**Tunnel restriction code:**

D/E

**UN "Model Regulation":**UN 1133 ADHESIVES, 3, II, ENVIRONMENTALLY  
HAZARDOUS

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

Trade name: **GLUKON top wmc 5 Liter Kanister (drucklos)**

(Contd. of page 8)

### SECTION 15: Regulatory information:

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**Directive 2012/18/EU:****Named dangerous substances - ANNEX I:** None of the ingredients is listed.**Seveso category:**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

**Qualifying quantity (tonnes) for the application of lower-tier requirements:** 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements:** 500 t**REGULATION (EC) No 1907/2006 ANNEX XVII:** Conditions of restriction: 3, 48**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II:**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148:****Regulation (EC) No 273/2004 on drug precursors:**

67-64-1 acetone: 3

108-88-3 toluene: 3

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors:**

67-64-1 acetone: 3

108-88-3 toluene: 3

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases:**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Training hints:**

Employees who use the product have to be trained on risks for health, hygiene, use of individual protection, accident preventive actions, rescue actions, etc.,

**Department issuing SDS:**

ADEEGO GmbH

Wildsteig 4A

D-42113 Wuppertal

Tel. +49 (0) 202 2575700

Fax. +49 (0) 202 2575701

Email: mail@adeego.de

www.adeego.de

© Copyright by ADEEGO GmbH

**Contact:** Dr. Axel Deeg**Version number of previous version:** 1.0

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date: 22.12.2023

Version number: 2.0 (replaces version 1.0)

Revision: 22.12.2023

---

**Trade name: GLUKON top wmc 5 Liter Kanister (drucklos)**

---

(Contd. of page 9)

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

---